

Hans Robert Schöler: Das Potential von Stammzellen - Ist der Mensch regenerierbar?

Naturwissenschaftliche Rundschau Heft 10/2003 [Naturw. Rdsch. 56, 525 (2003)]

Nach einem Vortrag auf der 122. Versammlung der Gesellschaft Deutscher Naturforscher und Ärzte an der Universität Halle-Wittenberg, 2002.

Literatur

- [1] Kirschstein, R., Skirboll, L. R.: Stem cells: Scientific progress and future directions: National Institute of Health. 2001.
- [2] Till, J. E., McCulloch, E. A.: A direct measurement of the radiation sensitivity of normal mouse bone marrow cells. *Radiat. Res.* 14, 213-222 (1961).
- [3] Watt, F. M., Hogan, B. L.: Out of eden: Stem cells and their niches. *Science* 287, 1427-1430 (2000).
- [4] Aboudy, K. S., Brown, A., Rainov, N. G., Bower, K. A., Liu, S., Yang, W., Small, J. E., Herrlinger, U., Ourednik, V., Black, P. M., Breakefield, X. O., Snyder, E. Y.: From the cover: Neural stem cells display extensive tropism for pathology in adult brain: Evidence from intracranial gliomas. *Proc. Natl. Acad. Sci. USA* 97, 12846-12851 (2000).
- [5] Noble, M.: Can neural stem cells be used to track down and destroy migratory brain tumor cells while also providing a means of repairing tumor-associated damage? *Proc. Natl. Acad. Sci. USA* 97, 12393-12395 (2000).
- [6] Noble, M.: Can neural stem cells be used as therapeutic vehicles in the treatment of brain tumors? *Nat. Med.* 6, 369-370 (2000).
- [7] Boiani, M., Schöler, H. R.: Determinants of pluripotency in mammals, in In: Principles of cloning. Lanza, R., Cibelli, J., West, M., eds., 2002. pp. 109-152.
- [8] Mezey, E., Chandross, K. J., Harta, G., Maki, R. A., McKercher, S. R.: Turning blood into brain: Cells bearing neuronal antigens generated in vivo from bone marrow. *Science* 290, 1779-1782 (2000).
- [9] Bjornson, C. R., Rietze, R. L., Reynolds, B. A., Magli, M. C., Vescovi, A. L.: Turning brain into blood: A hematopoietic fate adopted by adult neural stem cells in vivo. *Science* 283, 534-537 (1999).
- [10] Clarke, D. L., Johansson, C. B., Wilbertz, J., Veress, B., Nilsson, E., Karlstrom, H., Lendahl, U., Frisen, J.: Generalized potential of adult neural stem cells. *Science* 288, 1660-1663 (2000).
- [11] Goodell, M. A., Brose, K., Paradis, G., Conner, A. S., Mulligan, R. C.: Isolation and functional properties of murine hematopoietic stem cells that are replicating in vivo. *J. Exp. Med.* 183, 1797-1806 (1996).
- [12] Lagasse, E., Connors, H., Al-Dhalimy, M., Reitsma, M., Dohse, M., Osborne, L., Wang, X., Finegold, M., Weissman, I. L., Grompe, M.: Purified hematopoietic stem cells can differentiate into hepatocytes in vivo. *Nat. Med.* 6, 1229-1234 (2000).
- [13] Taniguchi, H., Toyoshima, T., Fukao, K., Nakauchi, H.: Presence of hematopoietic stem cells in the adult liver. *Nat. Med.* 2, 198-203 (1996).

- [14] Theise, N. D., Nimmakayalu, M., Gardner, R., Illei, P. B., Morgan, G., Teperman, L., Henegariu, O., Krause, D. S.: Liver from bone marrow in humans. *Hepatology* 32, 11-16 (2000).
- [15] Gussoni, E., Soneoka, Y., Strickland, C. D., Buzney, E. A., Khan, M. K., Flint, A. F., Kunkel, L. M., Mulligan, R. C.: Dystrophin expression in the mdx mouse restored by stem cell transplantation. *Nature* 401, 390-394 (1999).
- [16] Jackson, K. A., Majka, S. M., Wang, H., Pocius, J., Hartley, C. J., Majesky, M. W., Entman, M. L., Michael, L. H., Hirschi, K. K., Goodell, M. A.: Regeneration of ischemic cardiac muscle and vascular endothelium by adult stem cells. *J. Clin. Invest.*, 107, 1395-1402 (2001).
- [17] Krause, D. S., Theise, N. D., Collector, M. I., Henegariu, O., Hwang, S., Gardner, R., Neutzel, S., Sharkis, S. J.: Multi-organ, multi-lineage engraftment by a single bone marrow-derived stem cell. *Cell* 105, 369-377 (2001).
- [18] McKinney-Freeman, S. L., Jackson, K. A., Camargo, F. D., Ferrari, G., Mavilio, F., Goodell, M. A.: Muscle-derived hematopoietic stem cells are hematopoietic in origin. *Proc. Natl. Acad. Sci. USA* 99, 1341-1346 (2002).
- [19] Morshead, C. M., Benveniste, P., Iscove, N. N., van der Kooy, D.: Hematopoietic competence is a rare property of neural stem cells that may depend on genetic and epigenetic alterations. *Nat. Med.* 8, 268-273 (2002).
- [20] Ying, Q. L., Nichols, J., Evans, E. P., Smith, A. G.: Changing potency by spontaneous fusion. *Nature* 416, 545-548 (2002).
- [21] Terada, N., Hamazaki, T., Oka, M., Hoki, M., Mastalerz, D. M., Nakano, Y., Meyer, E. M., Morel, L., Petersen, B. E., Scott, E. W.: Bone marrow cells adopt the phenotype of other cells by spontaneous cell fusion. *Nature* 416, 542-545 (2002).
- [22] Tsai, R. Y., Kittappa, R., McKay, R. D.: Plasticity, niches, and the use of stem cells. *Dev. Cell* 2, 707-712 (2002).
- [23] Holden, C., Vogel, G.: Stem cells. Plasticity: Time for a reappraisal? *Science* 296, 2126-2129 (2002).
- [24] D'Amour, K. A., Gage, F. H.: Are somatic stem cells pluripotent or lineage-restricted? *Nat. Med.* 8, 213-214 (2002).
- [25] Jiang, Y., Jahagirdar, B. N., Reinhardt, R. L., Schwartz, R. E., Keene, C. D., Ortiz-Gonzalez, X. R., Reyes, M., Lenvik, T., Lund, T., Blackstad, M., Du, J., Aldrich, S., Lisberg, A., Low, W. C., Largaespada, D. A., Verfaillie, C. M.: Pluripotency of mesenchymal stem cells derived from adult marrow. *Nature* 418, 41-49 (2002).
- [26] Jiang, Y., Vaessen, B., Lenvik, T., Blackstad, M., Reyes, M., Verfaillie, C.: Multipotent progenitor cells can be isolated from postnatal murine bone marrow, muscle, and brain. *Exp. Hematol.* 30, 896 (2002).
- [27] Geiger, H., Van Zant, G.: The aging of lympho-hematopoietic stem cells. *Nat. Immunol.* 3, 329-333 (2002).
- [28] Turker, M. S.: Somatic cell mutations: Can they provide a link between aging and cancer? *Mech. Ageing Dev.* 117, 1-19 (2000).
- [29] Negrin, R. S., Atkinson, K., Leemhuis, T., Hanania, E., Juttner, C., Tierney, K., Hu, W. W., Johnston, L. J., Shizurn, J. A., Stockerl-Goldstein, K. E., Blume, K. G., Weissman, I. L., Bower, S., Baynes, R., Dansey, R., Karanes, C., Peters, W., Klein, J.: Transplantation of highly purified cd34+thy-1+ hematopoietic stem cells in patients with metastatic breast cancer. *Biol. Blood Marrow Transplant* 6, 262-271 (2000).

- [30] Sanchez-Ramos, J. R.: Neural cells derived from adult bone marrow and umbilical cord blood. *J. Neurosci. Res.* 69, 880-893 (2002).
- [31] Laughlin, M. J., Barker, J., Bambach, B., Koc, O. N., Rizzieri, D. A., Wagner, J. E., Gerson, S. L., Lazarus, H. M., Cairo, M., Stevens, C. E., Rubinstein, P., Kurtzberg, J.: Hematopoietic engraftment and survival in adult recipients of umbilical-cord blood from unrelated donors. *N. Engl. J. Med.* 344, 1815-1822 (2001).
- [32] Barker, J. N., Krepski, T. P., DeFor, T. E., Davies, S. M., Wagner, J. E., Weisdorf, D. J.: Searching for unrelated donor hematopoietic stem cells: Availability and speed of umbilical cord blood versus bone marrow. *Biol. Blood Marrow Transplant.* 8, 257-260 (2002).
- [33] Whetton, A. D., Graham, G. J.: Homing and mobilization in the stem cell niche. *Trends Cell Biol.* 9, 233-238 (1999).
- [34] Spradling, A., Drummond-Barbosa, D., Kai, T.: Stem cells find their niche. *Nature* 414, 98-104 (2001).
- [35] Brustle, O., Choudhary, K., Karram, K., Huttner, A., Murray, K., Dubois-Dalcq, M., McKay, R. D.: Chimeric brains generated by intraventricular transplantation of fetal human brain cells into embryonic rats. *Nat. Biotechnol.* 16, 1040-1044 (1998).
- [36] Villa, A., Snyder, E. Y., Vescovi, A., Martinez-Serrano, A.: Establishment and properties of a growth factor-dependent, perpetual neural stem cell line from the human CNS. *Exp. Neurol.* 161, 67-84 (2000).
- [37] Studer, L., Tabar, V., McKay, R. D.: Transplantation of expanded mesencephalic precursors leads to recovery in parkinsonian rats. *Nat. Neurosci.* 1, 290-295 (1998).
- [38] Sawamoto, K., Nakao, N., Kakishita, K., Ogawa, Y., Toyama, Y., Yamamoto, A., Yamaguchi, M., Mori, K., Goldman, S. A., Itakura, T., Okano, H.: Generation of dopaminergic neurons in the adult brain from mesencephalic precursor cells labeled with a nestin-gfp transgene. *J. Neurosci. Res.* 21, 3895-3903 (2001).
- [39] Beattie, G. M., Otonkoski, T., Lopez, A. D., Hayek, A.: Functional beta-cell mass after transplantation of human fetal pancreatic cells: Differentiation or proliferation? *Diabetes* 46, 244-248 (1997).
- [40] Shamblo, M. J., Axelman, J., Wang, S., Bugg, E. M., Littlefield, J. W., Donovan, P. J., Blumenthal, P. D., Huggins, G. R., Gearhart, J. D.: Derivation of pluripotent stem cells from cultured human primordial germ cells. *Proc. Natl. Acad. Sci. USA* 95, 13726-13731 (1998).
- [41] Wobus, A. M., Guan, K., Yang, H. T., Boheler, K. R.: Embryonic stem cells as a model to study cardiac, skeletal muscle, and vascular smooth muscle cell differentiation. *Methods Mol. Biol.*, 185, 127-156 (2002).
- [42] Thomson, J. A., Itskovitz-Eldor, J., Shapiro, S. S., Waknitz, M. A., Swiergiel, J. J., Marshall, V. S., Jones, J. M.: Embryonic stem cell lines derived from human blastocysts. *Science* 282, 1145-1147 (1998).
- [43] Kim, J. H., Auerbach, J. M., Rodriguez-Gomez, J. A., Velasco, I., Gavin, D., Lumelsky, N., Lee, S. H., Nguyen, J., Sanchez-Pernaute, R., Bankiewicz, K., McKay, R.: Dopamine neurons derived from embryonic stem cells function in an animal model of parkinson's disease. *Nature* 418, 50-56 (2002).
- [44] McDonald, J. W., Liu, X. Z., Qu, Y., Liu, S., Mickey, S. K., Turetsky, D., Gottlieb, D. I., Choi, D. W.: Transplanted embryonic stem cells survive, differentiate and promote recovery in injured rat spinal cord. *Nat. Med.* 5, 1410-1412 (1999).

- [45] Lumelsky, N., Blondel, O., Laeng, P., Velasco, I., Ravin, R., McKay, R.: Differentiation of embryonic stem cells to insulin-secreting structures similar to pancreatic islets. *Science* 292, 1389-1394 (2001).
- [46] Richards, M., Fong, C. Y., Chan, W. K., Wong, P. C., Bongso, A.: Human feeders support prolonged undifferentiated growth of human inner cell masses and embryonic stem cells. *Nat. Biotechnol.* 20, 933-936 (2002).
- [47] Nichols, J., Evans, E. P., Smith, A. G.: Establishment of germ-line-competent embryonic stem (es) cells using differentiation inhibiting activity. *Development* 110, 1341-1348 (1990).
- [48] Odorico, J. S., Kaufman, D. S., Thomson, J. A.: Multilineage differentiation from human embryonic stem cell lines. *Stem Cells* 19, 193-204 (2001).
- [49] Kunkel, T. A.: The high cost of living. American association for cancer research special conference: Endogenous sources of mutations, fort myers, florida, USA 11-15 november 1998. *Trends Genet.* 15, 93-94 (1999).
- [50] Kunkel, T. A., Bebenek, K.: DNA replication fidelity. *Annu. Rev. Biochem.* 69, 497-529 (2000).
- [51] Fandrich, F., Lin, X., Chai, G. X., Schulze, M., Ganten, D., Bader, M., Holle, J., Huang, D. S., Parwaresch, R., Zavazava, N., Binas, B.: Preimplantation-stage stem cells induce long-term allogeneic graft acceptance without supplementary host conditioning. *Nat. Med.* 8, 171-178 (2002).
- [52] Woods, N. B., Ooka, A., Karlsson, S.: Development of gene therapy for hematopoietic stem cells using lentiviral vectors. *Leukemia* 16, 563-569 (2002).
- [53] Wakayama, T., Tabar, V., Rodriguez, I., Perry, A. C., Studer, L., Mombaerts, P.: Differentiation of embryonic stem cell lines generated from adult somatic cells by nuclear transfer. *Science* 292, 740-743 (2001).
- [54] Munsie, M. J., Michalska, A. E., O'Brien, C. M., Trounson, A. O., Pera, M. F., Mountford, P. S.: Isolation of pluripotent embryonic stem cells from reprogrammed adult mouse somatic cell nuclei. *Curr. Biol.* 10, 989-992 (2000).
- [55] Boiani, M., Eckardt, S., Schöler, H. R., McLaughlin, K. J.: Oct4 distribution and level in mouse clones: Consequences for pluripotency. *Genes Dev.* 16, 1209-1219 (2002).
- [56] Pesce, M., Schöler, H. R.: Oct-4: Control of totipotency and germline determination. *Mol. Reprod. Dev.* 55, 452-457 (2000).
- [57] Pesce, M., Schöler, H. R.: Oct-4: Gatekeeper in the beginnings of mammalian development. *Stem Cells* 19, 271-278 (2001).
- [58] Niwa, H., Miyazaki, J., Smith, A. G.: Quantitative expression of oct-3/4 defines differentiation, dedifferentiation or self-renewal of es cells. *Nat. Genet.* 24, 372-376 (2000).
- [59] Yoshimizu, T., Sugiyama, N., De Felice, M., Yeom, Y. I., Ohbo, K., Masuko, K., Obinata, M., Abe, K., Schöler, H. R., Matsui, Y.: Germline-specific expression of the oct-4/green fluorescent protein (gfp) transgene in mice. *Dev. Growth Differ.* 41, 675-684 (1999).
- [60] Yeom, Y. I., Fuhrmann, G., Ovitt, C. E., Brehm, A., Ohbo, K., Gross, M., Hubner, K., Schöler, H. R.: Germline regulatory element of oct-4 specific for the totipotent cycle of embryonal cells. *Development* 122, 881-894 (1996).
- [61] Wilmut, I., Schnieke, A. E., McWhir, J., Kind, A. J., Campbell, K. H.: Viable offspring derived from fetal and adult mammalian cells. *Nature* 385, 810-813 (1997).

- [62] Antonarakis, S. E., Krawczak, M., Cooper, D. N.: Disease-causing mutations in the human genome. *Eur. J. Pediatr.* 159, Suppl 3, S173-178 (2000).
- [63] Mori, H., Colman, S. M., Xiao, Z., Ford, A. M., Healy, L. E., Donaldson, C., Hows, J. M., Navarrete, C., Greaves, M.: Chromosome translocations and covert leukemic clones are generated during normal fetal development. *Proc. Natl. Acad. Sci. USA* 99, 8242-8247 (2002).
- [64] Lindahl, T.: Instability and decay of the primary structure of DNA. *Nature* 362, 709-715 (1993).
- [65] Cooper, D. N., Youssoufian, H.: The cpg dinucleotide and human genetic disease. *Hum. Genet.* 78, 151-155 (1988).
- [66] Svejstrup, J. Q.: Transcription repair coupling factor: A very pushy enzyme. *Mol. Cell* 9, 1151-1152 (2002).
- [67] Hahn, W. C., Weinberg, R. A.: Modelling the molecular circuitry of cancer. *Nat. Rev. Cancer* 2, 331-341 (2002).
- [68] Guarente, L., Kenyon, C.: Genetic pathways that regulate ageing in model organisms. *Nature* 408, 255-262 (2000).
- [69] Sharpless, N. E., DePinho, R. A.: P53: Good cop/bad cop. *Cell*, 110, 9-12 (2002).
- [70] Li, E.: Chromatin modification and epigenetic reprogramming in mammalian development. *Nat. Rev. Genet.* 3, 662-673 (2002).
- [71] Humpherys, D., Eggan, K., Akutsu, H., Friedman, A., Hochedlinger, K., Yanagimachi, R., Lander, E. S., Golub, T. R., Jaenisch, R.: Abnormal gene expression in cloned mice derived from es cell and cumulus cell nuclei. *Proc. Natl. Acad. Sci. USA* in press (2002).
- [72] Tamashiro, K. L., Wakayama, T., Akutsu, H., Yamazaki, Y., Lachey, J. L., Wortman, M. D., Seeley, R. J., D'Alessio, D. A., Woods, S. C., Yanagimachi, R., Sakai, R. R.: Cloned mice have an obese phenotype not transmitted to their offspring. *Nat. Med.* 8, 262-267 (2002).
- [73] Hübner, K., Fuhrmann, G., Christenson, L. K., Kehler, J., Reinbold, R., De La Fuente, R., Wood, J., Strauss III, J. F., Boiani, M., Schöler, H. R.: Derivation of oocytes from mouse embryonic stem cells. *Science* (in press).